





MFE Pipescan

MFE PipeScan

MFE Enterprises, Inc. is proud to announce the release of the new rugged, reliable and easy to use MFE PipeScan. This fully adjustable MFL scanner will scan pipe from 5" and up. A Panasonic ToughBook displays the digital volume loss signals in real time. The MFE PipeScan comes with the option from scanning with 3 to 6 MFL bridges. This will allow a inspection area from 8.25" to 16.5" in a single pass with a scanning speed up to 3 feet per second.

The MFE PipeScan will be able to scan through thin coatings with ease. A built in fully adjustable threshold alarm function insures that no defects will be missed. The MFE PipeScan has everything needed to perform a pipe inspection quickly, efficiently, and accurately.


- ***Panasonic ToughBook***
- ***Up to 50+ foot signal cable***
- ***MFE Electronics Module***





Specification for MFE PipeScan

Weight	60 lbs - 120 lbs (20 lbs per bridge - 3 Link minimum)
Power Requirements	12V Battery
Scanning Area	8.25" to 16.5"
Real Time Display	Yes
Freeze Screen Alarm	Yes
Test Through Coatings	Yes, if non-magnetic
Thickness Range	.50" / 12mm
Speed	3 ft / second
Pipe size	5" and up. No Max




RFS

Russell Fraser Sales Pty Ltd

Unit 7/38 Waratah St
Kirrawee NSW 2232

Ph: (02) 9545 4433
Fax: (02) 9545 4218
ABN: 79 074 258 549

e-mail rfs@rfsales.com.au
web: www.rfsales.com.au



www.mfescan.com

