Innovators in NDT Technology



# **R-Evolution** Ultrasonic array roller probe

R-Evolution is an ultrasonic array probe housed in a light-weight **glycerine-filled roller, delivering fast** immersion quality C-scan inspections in the palm of your hand.

Designed to minimise operator fatigue, R-Evolution is small and light making it ideal for use on large areas and particularly overhead inspections.

R-Evolution with laser guides

# **Benefits**

- Fast immersion quality c-scan inspections
- Excellent resolution with high frequencies - up to 10MHz
- Improved near surface resolution enables inspection of thin components
- Ergonomic design to minimise operator fatigue
- Lightweight buggy ideal for overhead inspections and large areas
- Self-normalises on curved components ensuring the array is always perpendicular to the inspection surface
- User-friendly for ease of use in the field
- Accurate scanning with two laser guides to mark the outer extents of the array
- **Cost effective** solution with interchangeable probes
- Compatible with Tracer for dual-axis, large area inspections

# **Applications**

Typical applications for R-Evolution include:

- Aerospace -In-service C-scans, Bond Inspection, Delamination or defect detection in composites
- Wind Energy -Blade spar, leading and trailing edge bond inspection
- Pipelines and Vessels -Corrosion mapping, Bond testing on overlapping joints

Ergonomic in design, R-Evolution contains an ultrasonic array probe, mounted in a small diameter, glycerinefilled roller. With its durable thin tyre, high frequency probes can be used to give excellent near surface resolution enabling the inspection of thin components.

R-Evolution's buggy self-normalises on curved surfaces ensuring the array is perpendicular without adjustment. Additionally, the array angle can be easily fine-tuned externally.

The buggy handle features two line lasers for guidance and buttons that can be configured with appropriate instruments to start, stop or increment scans.





# **R-Evolution**

#### **Features**

- Phased array probes Range from 2MHz up to 10MHz
- Integrated waterproof encoder
- Encoder resolution: 50 steps/mm
- Indexing and start/pause buttons interface with compatible instruments
- Compatible with Tracer for dual-axis, large area inspections
- Lightweight and ergonomic 1kg
- Dimensions: 175mm x 120mm x 80mm



R-Evolution coupled with the Phoenix ISL Tracer system for the inspection of large areas.

### **Spares and Accessories**

- AEP-REVLTN-PROBE-2-64
- Wheel probe only, 2MHz
- AEP-REVLTN-PROBE-3.5-64
  AEP-REVLTN-PROBE-5-64
- AEP-REVLTN-PROBE-3.5-64 Wheel probe only, 3.5MHz

Spare replacement tyre

5-64 Wheel probe only, 5MHz

Unit 7/38 Waratah St

Kirrawee NSW 2232

- AEP-REVLTN-PROBE-10-64 Wheel probe only, 10MHz
- AEP-REVLTN-TYRE
- Encoder splitter cable to enable lasers to operate whilst connected to Tracer





#### Kit

- Array roller probe (specify frequency and instrument when ordering)
- Self-normalising buggy with laser guidance handle
- Integrated encoder (specify instrument when ordering)
- Tool Kit and Tyre filling accessories
- Water spray bottle
- 2 x Spare tyres
- Protective carry case

# **Order Information**

Product Code	2 MHz	3.5 MHz	5 MHz	10 MHz	Lasers
	64 elements, 0.8mm pitch				Lasers
AE-REVLTN-2-64-HNDL	•				•
AE-REVLTN-3.5-64-HNDL		•			•
AE-REVLTN-5-64-HNDL			•		•
AE-REVLTN-10-64-HNDL					•



Web: www.rfsales.com.au

ABN: 79 074 258 549



Russell Fraser Sales Pty Ltd

Ph: (02) 9545 4433

Email: rfs@rfsales.com.au